







## 96W 24V DC LED Driver





96W Voltage Dimmable Class 2 LED Driver

Product Code: E96R24DC

Magnitude's E96R24DC dimmable voltage LED driver is class 2 rated and designed to operate with any standard MLV/Incandescent TRIAC (Leading edge) dimmer switch. The driver's low profile aluminum case makes it the perfect choice for under cabinet lights, tape lights and various LED fixtures installations. Our electrical specification includes Auto Reset, over current and short circuit protection. Efficiency of 90% and higher allows the driver to operate at low temperatures.

## protection. Efficiency of 90% and higher allows the driver to operate at low temperatures. Installation **Features** Dimmable with any standard MLV/Incandescent TRIAC-(Leading edge) dimmer switch Super compact ALUMINUM CASE. **INPUT** Dimmer **OUTPUT** Class 2 (Optional) 120V AC 60Hz **24V DC Red Wire** UL 8750 IP67 - Withstands wet and salty conditions. Input Wire (Black) Auto-Reset Protection for short circuits, over-voltage Input Wire (White) and over-temperature. **Green Wire** FCC 15 part 2 **Purple Wire** Ground 24V DC True RMS For smooth dimming 8W minimum load is required <sup>DHUMHHHHHHH</sup>. 4.92" Removable Mounting feet 1.97" **Specifications** cal TRIAC Dimmer (on Max)

Max Load	96W	_		O		J
Input Voltage	120V AC			Output Volta	age vs. Load	1
Input Current at Max Load	1 A	_		Output Volta	age With a 1	Typical TRI
Output Voltage	24V DC	<b>-</b> 25.0 _				
Output Current at Max Load	4.2 A		24.6			
Power Factor	0.95					
Efficiency	> 90%	- 24.2		23.7		
Operating Temp.	-20°c - 70°c (-4°F - 158°F)	-			23.4	
Short circuit protection	Yes	23.4	23.4		23.4	23.2
Overcurrent	Yes	-		23	22.7	22.7
Over temperature	Yes	- - 22.6			22.7	22.7
Open circuit protection	Yes	- 22.0				
Input Wires (White \ Black)	14 AWG	-				
Output Wires (Red \ Black)	18 AWG	21.8				
Dimensions L*W*H	4.92" x 1.97" x 0.77"	-				
Weight	9 oz	21.0			İ	
		_	8W	19.2W	38.4W	57.6W

The specifications are subject to change without notice

23

76.8W

22.8

96W